

09/368817

Cfc

Patent

Case No.: 54419US014

32692

Customer Number



## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named Inventor: GARBER, SHARON R.

Patent No.: 7044373

Serial No.: 09/368817

Dated: May 16, 2006

Confirmation No.

Title: RADIO FREQUENCY IDENTIFICATION SYSTEMS  
APPLICATIONSREQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR § 1.322 1.323

Commissioner for Patents  
Office of Publication  
Attn: Certificate of Correction Branch  
P.O. Box 1450  
Alexandria, VA 22313-1450

## CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

July 20, 2006  
Date

Colleen M. Wagner  
Signed by: Colleen Wagner

Dear Sir:

It is respectfully requested that a Certificate of Correction be issued in connection with the above-identified patent. The required text is submitted on the attached form.

Because the listed errors first occurred in the printed patent, and are not due to Applicant's mistake, no fee is required in connection with this Certificate of Correction.

**Certificate**

JUL 26 2006

**of Correction**

Respectfully submitted,

July 20, 2006  
Date

By: M. E. Buss  
Melissa E. Buss, Reg. No.: 47,465  
Telephone No.: 651-733-0649

Office of Intellectual Property Counsel  
3M Innovative Properties Company  
Facsimile No.: 651-736-3833

JUL 26 2006

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

Page 1 of 2

PATENT NO.: 7044373  
DATED: May 16, 2006  
FIRST NAMED INVENTOR: GARBER, SHARON R.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page 2

Col. 2, line 42, (U.S.PATENT DOCUMENTS) after "5,689,238 A" insert -- \* --.

Title Page 3

Col. 1, Line 21, (U.S. PATENT DOCUMENTS) after "6,749,116" delete "B1" and insert -- B2 --, therefor.

Col. 1, line 22, (U.S. PATENT DOCUMENTS) after "6,753,830" delete "B1" and insert -- B2 --, therefor.

Col. 2, line 15, (OTHER PUBLICATIONS) delete "Norcrosss" and insert -- Norcross --, therefor.

Col. 3

Line 13, delete "nut" and insert -- out --, therefor.

Line 17, delete "'660" and insert -- '660 --, therefor.

Col. 10

Line 51-62, below "Calif." delete "The strip measured approximately 1.6 mm (0.625 in) wide by 0.0254 mm (0.001 in) thick by 10.16 cm (4 in) long. The test fixture consisted of a standard SCS 2.45 GHz antenna connected to an LED diode. The device was designed so that upon exposure to a 2.45 GHz field strong enough to power a typical SCS RFID tag the LED would glow, providing an immediate visible confirmation of the proper operation of the power-receiving portion of the device. Upon replacing the standard SCS antenna with the prototype permalloy antenna, the LED illuminated at approximately the same field strength, confirming the successful operation of the prototype." and insert the same after "Calif." on line no. 50.

MAILING ADDRESS OF SENDER:

**OFFICE OF INTELLECTUAL PROPERTY COUNSEL  
3M INNOVATIVE PROPERTIES COMPANY  
3M CENTER - P.O. BOX 33427  
SAINT PAUL, MINNESOTA 55133-3427**

PATENT NO. 7044373

No. of add'l copies: -0-  
@ 50¢ per page

No add'l copies

06

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

Page 2 of 2

PATENT NO.: 7044373  
DATED: May 16, 2006  
FIRST NAMED INVENTOR: GARBER, SHARON R.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 17

Line 44, After "shelf" insert - - . - -.

Col. 19

Line 2, after "shelf" insert - - . - -.

Col. 21

Line 23, In Claim 4, delete "REID" and insert - - RFID - -, therefor.

MAILING ADDRESS OF SENDER:

**OFFICE OF INTELLECTUAL PROPERTY COUNSEL  
3M INNOVATIVE PROPERTIES COMPANY  
3M CENTER - P.O. BOX 33427  
SAINT PAUL, MINNESOTA 55133-3427**

PATENT NO. 7044373

No. of add'l copies: -0-  
@ 50¢ per page

No add'l copies

100